

## Wiring, Printed Certified for Canada - Component

## **COMPANY**

## **MULTICIRCUITS INC**

2301 UNIVERSAL ST OSHKOSH, WI 54904-9146 United States

Cond Width

E134393


|  | Cona Wiath |      |              |     | iviax | Keport     |            |                        |         |        |        | iviax |       |       |   |
|--|------------|------|--------------|-----|-------|------------|------------|------------------------|---------|--------|--------|-------|-------|-------|---|
|  | Min        |      | Cond         | SS/ | Area  | Date       | Surface    | <b>Assembly Solder</b> |         | Solder |        | Oper  |       | Meets | c |
|  | Min        | Edge | Thk          | DS/ | Diam  | After      | Mount      | Process                | Process | Lim    | Limits |       | Flame | UL796 | Т |
| Туре   | mm         | mm   | mic          | DSO | mm    | 2022-01-01 | Technology | Temp °C                | Cycles  | °C     | sec    | °C    | Class | DSR   | 1 |
| Multilayer printed wiring boards               |            |      |              |     |       |            |            |                        |         |        |        |       |       |       |   |
| 2-0  | 0.08       | 0.08 | 17.8 Int:102 | DS  | 50.8  | No         | -          | -                      | -       | 288    | 10     | 130   | V-0   | All   | * |
| 4-0  | 0.08       | 0.08 | 17.8 Int:102 | DS  | 101.6 | No         | -          | -                      | -       | 288    | 10     | 130   | V-0   | All   | * |
| 6-0  | 0.05       | 0.05 | 8.5 Int:136  | DS  | 101.6 | No         | -          | -                      | -       | 288    | 10     | 130   | V-0   | All   | 3 |
| Single layer metal base printed wiring boards. |            |      |              |     |       |            |            |                        |         |        |        |       |       |       |   |
| MB1  | 0.10       | 0.10 | 34           | SS  | 89    | No         | -          | -                      | -       | 288    | 10     | 130   | V-0   | All   | 0 |
| MB2  | 0.08       | 0.09 | 34           | SS  | 89    | No         | -          | -                      | -       | 288    | 10     | 140   | V-0   | All   | 0 |
| Single layer printed wiring boards             |            |      |              |     |       |            |            |                        |         |        |        |       |       |       |   |
| 3-0  | 0.08       | 0.18 | 34.3         | DS  | 76.2  | No         | -          | -                      | -       | 288    | 10     | 130   | V-0   | All   | * |
| 5-0  | 0.05       | 0.05 | 8.5          | DS  | 101.6 | No         | -          | -                      | -       | 288    | 10     | 130   | V-0   | All   | 3 |

<sup>\* -</sup> CTI marking is optional and may be marked on the printed wiring board.

Marking: Company name or trademark or file number and type designation and the Recognized Component Mark for Canada, C denote factory identification or flammability classification.

May

Penart



May

Last Updated on 2022-06-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "@2024 UL LLC."